


## DBCO-maleimide

<http://de.lumiprobe.com/p/n-glutaroyl-dbco-maleimide>

DBCO-maleimide is a bifunctional linker containing a maleimide group and a DBCO (Dibenzocyclooctyne, ADIBO) moiety.

The maleimide group specifically and efficiently reacts with thiols to form thioether bonds. The low mass weight adds minimal spacer to modified molecules and enables the simple and efficient incorporation of the DBCO moiety into cysteine-containing peptides or other thiol-containing biomolecules.

DBCO is one of the most reactive cycloalkynes for strain-promoted alkyne azide cycloaddition (SPAAC). DBCO reacts instantly with azides without needing a Cu(I) catalyst, resulting in a stable triazole linkage. The reaction rate is much higher than that of copper-catalyzed reaction, and reactions with many other cyclooctynes. Unlike other cyclooctynes, DBCO does not react with tetrazines — this allows to carry out orthogonal conjugation of azides with DBCO and trans-cyclooctenes with tetrazines.



**Struktur von DBCO-Maleimid**

### Allgemeine Eigenschaften

- Erscheinungsform: weißer Feststoff
- Molekülmasse: 441.49
- Molekülformel:  $C_{26}H_{23}N_3O_4$
- Löslichkeit: Methylen, DMSO, DMF, Acetonitril
- Qualitätskontrolle: NMR  $^1H$  und HPLC-MS ( $\geq 95\%$ )
- Lagerungsbedingungen: 12 Monate ab dem Wareneingang bei  $-20\text{ }^\circ\text{C}$  an einem lichtgeschützten Ort. Transport: bei Raumtemperatur bis zu drei Wochen. Trocken lagern.
- Rechtliche Hinweise: Dieses Produkt wird nur für Forschungszwecke angeboten und verkauft. Es wurde nicht auf Sicherheit und Wirksamkeit in Nahrungsmitteln, pharmazeutischen Produkten, medizinischen Vorrichtungen, Kosmetika sowie für gewerbliche oder andere Einsatzzwecke getestet. Der Verkauf gewährt oder impliziert nicht die Erlaubnis zur Verwendung in der In-vitro-Diagnostik, bei der Herstellung von Nahrungsmitteln oder pharmazeutischen Produkten, in medizinischen Vorrichtungen sowie in kosmetischen Erzeugnissen.